Centor DF Dropbolt

Suited to outward opening bifold doors, french doors and sliding doors, Centor DF comes with a 20mm throw and rounded styling. An extensive range of lengths (to 1000mm) and finishes are available.


DF SPECIFICATIONS max wind load 450kg force min door thickness 35mm security keyed, non-keyed dropbolt lengths 200/400/600/1000mm throw length 20mm finishes PVD brass natural anodised black powdercoat white powdercoat custom powdercoat* chrome brushed metallic

DF dropbolts will resist high winds and is rated to resist a 250kg load in Western Red Cedar and 450kg in Amoora. Centor can provide a test certificate on application. DF features a unique damage-proof mechanism for bifold doors which prevents the bolt being operated if the key is left in the lock. The bolts are easily installed with a dedicated router bit and are available in PVD brass, brushed metallic, chrome, natural anodised and custom powdercoat finishes. The bolts are available keyed alike and may be rekeyed by a professional locksmith.



Architectural Detail Patent granted

DF dropbolt assembly



FO-001.DXF

© copyright 2011 centor

^{*}Custom powdercoat available by special order.

Centor DF Dropbolt CONTINUED

INSTALLATION

Dropbolts locations in some typical configurations.





DF / KEYED

| PARTS | PRODUCT CODE | DESCRIPTION |
|-------|--------------|--|
| 9 | DBFO200KRTG | 200mm dropbolt, keyed, PVD brass |
| | DBFO200KRN | 200mm dropbolt, keyed, natural anodised |
| | DBFO200KRL | 200mm dropbolt, keyed, black powdercoat |
| | DBFO200KRW | 200mm dropbolt, keyed, white powdercoat |
| | DBFO200KRPC | 200mm dropbolt, keyed, custom powdercoat |
| | DBFO200KRC | 200mm dropbolt, keyed, chrome |
| 107% | DBFO200KRX | 200mm dropbolt, keyed, brushed metallic |
| | DBFO400KRTG | 400mm dropbolt, keyed, PVD brass |
| | DBFO400KRN | 400mm dropbolt, keyed, natural anodised |
| | DBFO400KRL | 400mm dropbolt, keyed, black powdercoat |
| | DBFO400KRW | 400mm dropbolt, keyed, white powdercoat |
| | DBFO400KRPC | 400mm dropbolt, keyed, custom powdercoat |
| | DBFO400KRC | 400mm dropbolt, keyed, chrome |
| | DBFO400KRX | 400mm dropbolt, keyed, brushed metallic |
| | DBFO600KRTG | 600mm dropbolt, keyed, PVD brass |
| | DBFO600KRN | 600mm dropbolt, keyed, natural anodised |
| | DBFO600KRL | 600mm dropbolt, keyed, black powdercoat |
| | DBFO600KRW | 600mm dropbolt, keyed, white powdercoat |
| | DBFO600KRPC | 600mm dropbolt, keyed, custom powdercoat |
| | DBFO600KRC | 600mm dropbolt, keyed, chrome |
| | DBFO600KRX | 600mm dropbolt, keyed, brushed metallic |

Custom powdercoat available by special order.


ROUTER BIT

| PARTS | PRODUCT CODE | DESCRIPTION |
|--|--------------|--|
| The state of the s | DBFORB | dedicated router bit for professional installation of Centor DH, DF, DL, and DO dropbotts |

CUPS

| PARTS | PRODUCT CODE | DESCRIPTION |
|-------|---------------|---|
| | DBCS DBCTG | dropbolt cup, stainless steel dropbolt cup, PVD brass |

8 © copyright 2011 centor



DF / NON-KEYED

| PARTS | PRODUCT CODE | DESCRIPTION |
|-------|--------------|---|
| | DBFO200NRTG | 200mm dropbolt, non-keyed, PVD brass |
| | DBFO200NRN | 200mm dropbolt, non-keyed, natural anodised |
| | DBFO200NRL | 200mm dropbolt, non-keyed, black powdercoat |
| | DBFO200NRW | 200mm dropbolt, non-keyed, white powdercoat |
| | DBFO200NRPC | 200mm dropbolt, non-keyed, custom powdercoat |
| | DBFO200NRC | 200mm dropbolt, non-keyed, chrome |
| | DBFO200NRX | 200mm dropbolt, non-keyed, brushed metallic |
| | DBFO400NRTG | 400mm dropbolt, non-keyed, PVD brass |
| | DBFO400NRN | 400mm dropbolt, non-keyed, natural anodised |
| | DBFO400NRL | 400mm dropbolt, non-keyed, black powdercoat |
| | DBFO400NRW | 400mm dropbolt, non-keyed, white powdercoat |
| | DBFO400NRPC | 400mm dropbolt, non-keyed, custom powdercoat |
| | DBFO400NRC | 400mm dropbolt, non-keyed, chrome |
| | DBFO400NRX | 400mm dropbolt, non-keyed, brushed metallic |
| | DBFO600NRTG | 600mm dropbolt, non-keyed, PVD brass |
| | DBFO600NRN | 600mm dropbolt, non-keyed, natural anodised |
| | DBFO600NRL | 600mm dropbolt, non-keyed, black powdercoat |
| | DBFO600NRW | 600mm dropbolt, non-keyed, white powdercoat |
| | DBFO600NRPC | 600mm dropbolt, non-keyed, custom powdercoat |
| | DBFO600NRC | 600mm dropbolt, non-keyed, chrome |
| | DBFO600NRX | 600mm dropbolt, non-keyed, brushed metallic |
| | DBFO1000NRN | 1000mm dropbolt, non-keyed, natural anodised |
| | DBFO1000NRL | 1000mm dropbolt, non-keyed, black powdercoat |
| | DBFO1000NRW | 1000mm dropbolt, non-keyed, white powdercoat |
| | DBFO1000NRPC | 1000mm dropbolt, non-keyed, custom powdercoat |
| | DBFO1000NRX | 1000mm dropbolt, non-keyed, brushed metallic |

Custom powdercoat available by special order.